

**JUST A FEW OF OUR 500+ PROFILES** 

At CERBACO, we will provide you with the proper backing for your applications.

Our engineers will be happy to assist you in implementing the proper weld backing.

CERBACO can also develop new backings and formulations for your specific needs.



With a full range of shapes, formulations and mounting systems combined with our 25 years of expertise and customization, CERBACO LTD. is the one source for weld backings.

CERBACO LTD. 2068 BUNNELL RD. WARRINGTON, PA. 18976 PHONE: 908-996-1333

FAX: 908-996-0023

www.cerbaco.com

#### PRODUCT DESCRIPTION

In the past, full penetration welding involved costly backgouging, grinding, and rewelding. With CERBACO LTD. non metallic weld backings you can achieve X-ray quality, full-penetration welds from one side and in a single pass. The result is a finished high quality weld and a savings of labor, materials, and time. CERBACO weld backings are manufactured in many different configurations and in formulas for the diverse conditions encountered when welding anything from light gauge sheet metal to heavy metal fabrication. CERBACO weld backings can be used to compensate for poor fit-ups, and is a valuable tool when welding conditions are not ideal or where the back side of a weld joint is inaccessable.


CERBACO weld backings are non metallic, non hygroscopic, neutral, and unlike metal backing bars, do not become part of the finished weld. When properly positioned and attached to the back side of a weld joint, your welds can be free of defects eliminating rework and cleanup associated with poor root welds.

One-sided one-pass and one-sided muti-pass welds are possible with CERBACO weld backings. Our backings support molten weld metal over a wide range of welding heats resulting in uniform back beads of finished quality.


### **SERVICES**

At CERBACO, we will provide complete technical assistance and will direct proper use of our products. If your application requires something special we will design custom shapes and sizes. In addition we will, if necessary, develop new backing formulations for you. In our 25 years of experience we have designed over 500 profiles. Typically, we stock many of these items in order to be ready for immediate shipment. All manufacturing is done by CERBACO. When an item is not readily available, it can generally be shipped within days from the time of order.


### STEP 1. START WITH AN OPEN ROOT:




STEP 2. APPLY BACKING:





STEP 3. WELD:





STEP 4. REMOVE BACKING TO REVEAL FINISHED BACKBEAD























CERBACO can also supply you with dimensional copper weld backing in a variety of RWMA alloys.




CERBACO also manufactures a line of flexible fiber backings for TIG welding of carbon and stainless sheet metal.














FROM THIS

TO THIS

# WITHOUT GOUGING, GRINDING, REWELDING OR REWORK

WHETHER YOU'RE WELDING SHIPS. PRESSURE VESSELS. PIPE, TANKS, OR STRUCTURAL STEEL. WE CAN HELP YOU

## WELD MORE EFFICIENTLY

CERBACO WELD BACKINGS LET YOU ACHIEVE X-RAY QUALITY FULL PENETRATION WELDS

WITH OUR EXTENSIVE LINE OF BACKING MATERIALS AND **OUR SEASONED ABILITY FOR CUSTOMIZATION.** CERBACO IS THE ONE SOURCE FOR



PHONE: 908-996-1333

FAX: 908-996-0023

WWW.CERBACO.COM SALES@CERBACO.COM



At CERBACO, we will provide you with the proper backing for your applications.

Our engineers will be happy to assist you in implementing the proper weld backing.

CERBACO can also develop new backings and formulations for your specific needs.



With a full range of shapes, formulations and mounting systems combined with our 25 years of expertise and customization, CERBACO LTD. is the one source for weld backings.

CERBACO LTD. 2068 BUNNELL RD. WARRINGTON, PA. 18976

PHONE: 908-996-1333 FAX: 908-996-0023

WWW.CERBACO.COM

CERBACO LTD. 2068 BUNNELL ROAD WARRINGTON, PA 18976

## WELD BACKING REQUIREMENTS

TEL: 908-996-1333 FAX: 908-996-0023

SUBMITTED BY:		TITLE:	
COMPANY:			
ADDRESS:			
CITY, STATE, ZIP: _			
TEL:	FAX:	E-MAIL:	
PLEASE PROVID	E US WITH TH	E FOLLOWING INFORMATION	
BASE MATERIAL _		THICKNESS	
		ROOT OPENING	
		WELDING PROCESS	
LAND SIZE			
ELECTRODE/WIRE	TYPE & DIAMETE	ER	
		TRAVEL SPEED	
<b>WELD POSITION</b> □	FLAT   HORIZON	NTAL □VERTICAL	
CIRCUMFERENTIAL	L □YES □NO IF	YES DIAMETER	
SPECIAL REQUI	REMENTS (PR	OVIDE SKETCH IF NECESSARY	